

MoVIES Whole Sample vs. Non-Demented Norms

Test	Whole Population Norms ¹ N=1350		Non-demented Norms* ² N=77	
	Mean	SD	Mean	SD
MMSE	27.2	2.9	28.3	1.3
Word List Learning	18.7	4.4	19.7	3.3
Word List Recall	7.0	2.3	6.5	1.6
Word List Recognition				
originals	9.3	1.2	9.6	0.8
foils	9.8	0.8	10.0	0.2
CERAD Praxis	10.5	1.5	10.9	1.2
Clock Drawing	7.2	1.2	7.6	0.7
15-item BNT	14.0	1.5	14.5	0.7
Fluency				
Fruits	11.5	3.3	12.1	2.6
Animals	14.2	4.2	14.1	3.3
P	10.6	4.2	11.9	3.3
S	10.7	4.2	11.6	3.1
Story Immediate	5.8	3.1	6.5	2.6
Story Delayed	5.0	3.1	5.9	2.8
Trails A (seconds)	57.4	38.1	50.7	18.9
Trails B (seconds)	144.4	73.4	131.8	61.4

* CDR = 0, MMSE > 24 = MoVIES Controls

Note that we had another group of people with CDR=0 whose MMSEs were < 24 (i.e., they were MMSE false positives), and all of their scores were a point or two lower than the “controls” who were selected as MMSE negatives.

¹ Ganguli M, Ratcliff G, Huff FJ, et al. Effects of age, gender, and education on cognitive tests in a rural elderly community sample: Norms from the Monongahela Valley Independent Elders Survey. *Neuroepidemiology*. 1991; 10:42-52.

² Ganguli M, Ratcliff G, DeKosky ST. Cognitive test scores in community-based older adults with and without dementia. *Aging and Mental Health*. 1997; 1(2): 176-180.